

## DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

[Docket No. NHTSA-2017-0062; Notice 2]

**Final Decision That Certain Canadian-Certified** 

Vehicles Are Eligible for Importation

**AGENCY:** National Highway Traffic Safety Administration (NHTSA), U.S. Department of

Transportation (DOT).

**ACTION:** Final Decision.

**SUMMARY:** This document announces a final decision by NHTSA that certain vehicles that

do not comply with all applicable Federal motor vehicle safety standards (FMVSS), but that are

certified by their original manufacturer as complying with all applicable Canadian motor vehicle

safety standards (CMVSS), are nevertheless eligible for importation into the United States. The

vehicles in question either (1) are substantially similar to vehicles that were certified by their

manufacturers as complying with the U.S. safety standards and are capable of being readily

altered to conform to those standards, or (2) have safety features that comply with, or are capable

of being altered to comply with, all U.S. safety standards.

**DATE:** This decision is applicable on [INSERT DATE OF PUBLICATION IN THE

FEDERAL REGISTER].

FOR FURTHER INFORMATION CONTACT: Mr. Neil Thurgood, Office of Vehicle Safety

Compliance, NHTSA, 1200 New Jersey Avenue, SE, Washington, DC 20590.

Telephone: (202) 366-0712.

**SUPPLEMENTARY INFORMATION:** 

BACKGROUND

Under 49 U.S.C. 30141(a)(1)(A), a motor vehicle that was not originally manufactured to conform to all applicable FMVSS shall be refused admission into the United States unless NHTSA has decided, either pursuant to a petition from the manufacturer or registered importer or on its own initiative, (1) that the nonconforming motor vehicle is substantially similar to a motor vehicle of the same model year that was originally manufactured for importation into and sale in the United States and certified by its manufacturer as complying with all applicable FMVSS, and (2) that the nonconforming motor vehicle is capable of being readily altered to conform to all applicable FMVSS. Where there is no substantially similar U.S. certified motor vehicle, 49 U.S.C. 30141(a)(1)(B) permits a nonconforming motor vehicle to be admitted into the United States if NHTSA decides that its safety features comply with, or are capable of being altered to comply with, all applicable FMVSS based on destructive test data or such other evidence as NHTSA decides to be adequate.

## **TENTATIVE DECISION**

On October 24, 2017, NHTSA published a notice in the Federal Register announcing that it had made a tentative decision that certain motor vehicles that are certified by their original manufacturer as complying with all applicable CMVSS are eligible for importation into the United States (82 FR 49260). The notice identified these vehicles as:

- (a) All passenger cars manufactured on or after September 1, 2017, and before May 1, 2018, that as originally manufactured, comply with FMVSS Nos. 138, 201, 206, 208, 213, 214, 225, and insofar as it is applicable, with FMVSS No. 226;
- (b) All passenger cars manufactured on or after May 1, 2018, and before September 1, 2022, that as originally manufactured, comply with FMVSS Nos. 111, 138, 201, 206, 208, 213, 214, 225, and insofar as it is applicable, with FMVSS No. 226;

- (c) All multipurpose passenger vehicles, trucks, and buses with a gross vehicle weight rating (GVWR) of 4,536 kg (10,000 lb) or less manufactured on or after September 1, 2017, and before May 1, 2018, that as originally manufactured, comply with FMVSS Nos. 138, 201, 206, 208, 213, and 214, and insofar as they are applicable, with FMVSS Nos. 222, 225, and, 226; (d) All multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 kg (10,000 lb) or less manufactured on or after May 1, 2018, and before September 1, 2022, that as originally manufactured, comply with FMVSS Nos. 111, 138, 201, 206, 208, 213, and 214, and insofar as they are applicable, with FMVSS Nos. 222, 225, and 226; and (e) All multipurpose passenger vehicles, trucks, and buses with a GVWR greater than 4,536 kg
- originally manufactured, comply with FMVSS No. 136 insofar as it is applicable.

  The reader is referred to the October 24 notice for a full discussion of the factors leading to the tentative decision. The notice included tables that summarize the current state of harmonization between the CMVSS and the FMVSS. For the convenience of the reader, those

(10,000 lb) manufactured on or after August 1, 2019, and before September 1, 2022, that as

which the differences are such that compliance with the U.S. standard can be readily achieved.

tables are set out below. Table 1 is a list of all FMVSS that are harmonized to the CMVSS, or for

Table 2 is a list of all FMVSS that are not harmonized.

Table 1
Harmonized Standards

U.S. Standard (FMVSS)	Canadian Equivalent (CMVSS)	
102 - Transmission Shift Position Sequence, Starter	CMVSS 102 – Transmission Control Functions	
Interlock, and Transmission Braking Effect		
103 – Windshield Defrosting and Defogging	CMVSS 103 – Windshield Defrost and Defog	
Systems		
104 – Windshield Wiping and Washing Systems	CMVSS 104 – Windshield Wiping and Wash	
105 – Hydraulic and Electric Brake Systems	CMVSS 105 – Hydraulic and Electric Brakes; TSD	
	105	
106 – Brake Hoses	CMVSS 106 – Brake Hoses; TSD 106	
108 – Lamps, Reflective Devices and Associated	CMVSS 108 – Lighting Systems and Retroreflective	
Equipment	Devices; TSD 108	
110 - Tire Selection and Rims for Motor Vehicles	CMVSS 110 – Tire Selection and Rims; TSD 110	
with a GVWR of 4,536 kg (10,000) lb) or Less		
113 – Hood Latch Systems	CMVSS 113 – Hood Latch System	
114 – Theft Protection and Rollaway Prevention	CMVSS 114 – Locking and Immobilization; TSD 114	
116 – Motor Vehicle Brake Fluids	CMVSS 116 - Hydraulic Brake Fluids; TSD 116	
118 - Power-Operated Window, Partition, and	CMVSS 118 – Power-operated Windows; TSD 118	
Roof Panel Systems		
120 - Tire Selection and Rims and Motor	CMVSS 120 – Tire Selection and Rims for Vehicles	
Home/Recreation Vehicle Trailer	Other Than Passenger Cars; TSD 120	
Load Carrying Capacity Information for Motor		
Vehicles with a GVWR		
of More Than 4,536 Kilograms (10,000 pounds)		
121 – Air Brake Systems	CMVSS 121 – Air Brakes for Trucks; TSD 121	
122 – Motorcycle Brake Systems	CMVSS 122 – Motorcycle Brake Systems; TSD 122	
123 – Motorcycle Controls and Displays	CMVSS 123 – Motorcycle Control & Displays; TSD	
	123	
124 – Accelerator Control Systems	CMVSS 124 – Accelerator Control Systems; TSD	
	124	
126 – Electronic Stability Control Systems	CMVSS 126 – Electronic Stability Control; TSD 126	
131 – School Bus Pedestrian Safety Devices	CMVSS 131 – School Bus Pedestrian Safety	
	Devices; TSD 131	
135 – Light Vehicle Brake Systems	CMVSS 135 – Light Vehicle Brake Systems; TSD 135	
202 – Head Restraints; Applicable unless a vehicle	CMVSS 202 – Head Restraints; TSD 202	
is certified to §571.202a		
202a – Head Restraints	CMVSS 202 – Head Restraints; TSD 202	
203 – Impact protection for the driver from the	CMVSS 203 – Driver Impact Protection	
steering control system		
204 – Steering control rearward displacement	CMVSS 204 – Steering Column Rearward	
	Displacement	
205 – Glazing materials	CMVSS 205 – Glazing Materials	

U.S. Standard (FMVSS)	Canadian Equivalent (CMVSS)	
205a – Glazing materials before September 1,	CMVSS 205 – Glazing Materials	
2006 and glazing materials used in vehicles		
manufactured before November 1, 2006		
207 – Seating systems	CMVSS 207 – Anchorage of Seats	
210 – Seat belt assembly anchorages	CMVSS 210 – Seat Belt Assembly Anchorages	
212 – Windshield mounting	CMVSS 212 – Windshield Mounting	
216 – Roof crush resistance; Applicable unless a	CMVSS 216 – Roof Intrusion Protection; TSD 216	
vehicle is certified to §571.216a		
216a – Roof crush resistance; Upgraded standard	CMVSS 216 – Roof Intrusion Protection; TSD 216	
217 – Bus emergency exits and window retention	CMVSS 217 – Bus Window Retention and	
and release	Emergency Exits	
219 – Windshield zone intrusion	CMVSS 219 – Windshield Zone Intrusion	
220 – School bus rollover protection	CMVSS 220 – Rollover Protection; TSD 220	
221 – School bus body joint strength	CMVSS 221 – School Bus Body Joint Strength	
224 – Rear impact protection	CMVSS 223 – Rear Impact Guards	
301 – Fuel system integrity	CMVSS 301 – Fuel System Integrity; TSD 301	
302 – Flammability of interior materials	CMVSS 302 – Flammability; TSD 302	
303 – Fuel system integrity of compressed natural	CMVSS 301.2 – CNG Fuel System Integrity	
gas vehicles		
304 – Compressed natural gas fuel container	CMVSS 301.2 – CNG Fuel System Integrity	
integrity		
305 – Electric-powered vehicles: electrolyte	CMVSS 305 – Electrolyte Spillage and Electrical	
spillage and electrical shock protection	Shock Protection; TSD 305	
401 – Internal trunk release	CMVSS 401 – Interior Trunk Release; TSD 401	
500 – Low-speed vehicles	CMVSS 500 – Low-speed Vehicles; TSD 500	

Table 2 Standards that Have Not Been Harmonized (X denotes "applicable")

U.S. Standard (FMVSS)	Canadian Standard (CMVSS)	Passenger Cars	Multipurpose Passenger Vehicles, Trucks, and Buses With A GVWR of 4,536 Kg (10,000 Lb) or Less
FMVSS 101 – Controls and Displays	CMVSS 101 – Controls and Displays	X	X
FMVSS 111 – Rear Visibility	CMVSS 111 – Mirrors	X	X
FMVSS 136 – Electronic Stability Control Systems for Heavy Vehicles			Trucks/buses with GVWR greater than 11,793 Kg (26,000 lb) only
FMVSS 138 – Tire Pressure Monitoring Systems		Х	X
FMVSS 201 – Occupant Protection in Interior Impact	CMVSS 201 - Occupant Protection	X	X
FMVSS 206 – Door locks and door retention components	CMVSS 206 – Door Locks and Door Retention Components	Х	Х
FMVSS 208 – Occupant Crash Protection	CMVSS 208 – Occupant Restraint Frontal Impact	Х	Х
FMVSS 213 – Child Restraint Systems	CMVSS 213.4 – Built-in Child Restraint Systems	Х	Х
FMVSS 214 – Side Impact Protection	CMVSS 214 – Side Door Strength	Х	Х
FMVSS 222 - School Bus Passenger Seating And Crash Protection	CMVSS 222 - School Bus Passenger Seating and Crash Protection		School buses only
FMVSS 225 – Child restraint anchorage systems		Х	X
FMVSS 226 – Ejection Mitigation		X	Х

In accordance with 49 U.S.C. 30141(b), the October 24 notice solicited public comments on the tentative decision. No pertinent comments were submitted in response to the notice.

Accordingly, NHTSA is adopting the tentative decision as a final decision.

## FINAL DECISION

In consideration of the foregoing, NHTSA hereby decides that--

- (a) All passenger cars manufactured on or after September 1, 2017, and before May 1, 2018, that as originally manufactured, comply with FMVSS Nos. 138, 201, 206, 208, 213, 214, 225, and insofar as it is applicable with FMVSS No. 226;
- (b) All passenger cars manufactured on or after May 1, 2018, and before September 1, 2022, that as originally manufactured, comply with FMVSS Nos. 111, 138, 201, 206, 208, 213, 214, 225, and insofar as it is applicable, with FMVSS No. 226;
- (c) All multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 kg (10,000 lb) or less manufactured on or after September 1, 2017, and before May 1, 2018, that as originally manufactured, comply with FMVSS Nos. 138, 201, 206, 208, 213, and 214, and insofar as they are applicable, with FMVSS Nos. 222, 225, and, 226;
- (d) All multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 kg (10,000 lb) or less manufactured on or after May 1, 2018, and before September 1, 2022, that as originally manufactured, comply with FMVSS Nos. 111, 138, 201, 206, 208, 213, and 214, and insofar as they are applicable, with FMVSS Nos. 222, 225, and 226; and
- (e) All multipurpose passenger vehicles, trucks, and buses with a GVWR greater than 4,536 kg (10,000 lb) manufactured on or after August 1, 2019, and before September 1, 2022, that as originally manufactured, comply with FMVSS No. 136 insofar as it is applicable; that are

certified by their original manufacturer as complying with all applicable CMVSS, are eligible for importation into the United States on the basis that either:

- 1. They are substantially similar to vehicles of the same make, model, and model year originally manufactured for importation into and sale in the United States, or originally manufactured in the United States for sale therein, and certified as complying with all applicable FMVSS, and are capable of being readily altered to conform to all applicable FMVSS, or
- 2. They have safety features that comply with, or are capable of being altered to comply with, all applicable FMVSS.

## VEHICLE ELIGIBILITY NUMBER

In order to import a vehicle made admissible under any final decision, the importer must indicate to U.S. Customs and Border Protection that the vehicle has been determined eligible for importation. This is done by indicating the eligibility number, published under that final decision, on DOT declaration form HS-7. Vehicle Eligibility Number VSA-80 is currently assigned to Canadian-certified passenger cars, Vehicle Eligibility Number VSA-81 is currently assigned to Canadian-certified multipurpose passenger vehicles, trucks, and buses with a GVWR of 4,536 kg (10,000 lb) or less, and Vehicle Eligibility Number VSA-82 is currently assigned to Canadian-certified multipurpose passenger vehicles, trucks, and buses with a GVWR greater than 4,536 kg (10,000 lb). All passenger cars admissible under this decision will be assigned Vehicle Eligibility Number VSA-80, all multipurpose passenger vehicles, trucks, and buses with a GVWR of less than 4,536 kg (10,000 lb) admissible under this decision will be assigned Vehicle Eligibility Number VSA-81, and all multipurpose passenger vehicles, trucks, and buses

9

with a GVWR greater than 4,536 kg (10,000 lb) admissible under this decision will be assigned Vehicle Eligibility Number VSA-82.

**Authority:** 49 U.S.C. 30141(a)(1)(A), (a)(1)(B), and (b)(1); 49 CFR 593.8; delegation of authority at 49 CFR 1.95.

\_\_\_\_\_

Heidi R. King,

Deputy Administrator.

**BILLING CODE 4910-59-P** 

H:\NVS\Enforcement\OVSC\Import Eligibility Petitions\VSAs including Canadian Eligible

Vehicles\Canadian VSA 2017\drafts\2017 Tentative Canadian final det.docx

[FR Doc. 2017-28391 Filed: 1/2/2018 8:45 am; Publication Date: 1/3/2018]